PATIENT INTAKE FORM:

PLEASE GET BACK TO ME AS SOON AS POSSIBLE!!! PLEASE FILL OUT THIS FORM IN AS MUCH DETAIL AS POSSIBLE! SO I CAN HELP YOUR CHILD AS MUCH AS POSSIBLE!!

Date	_ Childs Full N	ame		
Parent's Full Name				_
Email	@			
Child's Home Address with <i>Ci</i>				
(Please include full address in	cluding town and zip	code)		
Mother's Tel. #s: Home	Ce	II	Work	
Father's Tel. #s: Home (If Separa	ited)	Cell	Work	
Child's School & Grade		DOB	Age	
How did you find Dr. Sussman	n? Insurance C	ompany List	Psychology Too	day Website
(Circle all that apply)	Healthgrades.com	Internet Searc	:h Sussma	nkids.com
	Referral From			
Insurance Company & ID #				
Please text both sides of insu	rance card to 908 21	7 8106		
Policy Holder Name & DOB				
I am bringing my child for hel	p because			
<i>5 5 ,</i>				
My child is in or receives	regular classes	an IEP	504 Plan	
accommodations pullout cl	asses resource roo	om special edu	ıcation therap	oeutic school
home schooling speech the	erapy occupational	therapy phys	ical therapy to	utoring
What does the teacher(s) say	about your child?			
What are your child's school i	issues, if any?			

Mothor		
viotner		
⁻ ather		
Step-Parents (If Any)		
	Separated?	
How are the child's parents gett	ing along? Explain	
ad les		· · · · · · · · ·
	if any, does your child's family identi	•
American? Are you particularly i	religious?	
American? Are you particularly i		
American? Are you particularly in Siblings (Indicate Brother/Sister ar	religious?	ity, Getting Along w Patient?)
American? Are you particularly in Siblings (Indicate Brother/Sister and 1)	religious?nd/or Step-Sibling, Age, Grade, Personal	ity, Getting Along w Patient?)
American? Are you particularly in Siblings (Indicate Brother/Sister and 1)	religious?nd/or Step-Sibling, Age, Grade, Personal	ity, Getting Along w Patient?)
American? Are you particularly in Siblings (Indicate Brother/Sister and 1)	religious?nd/or Step-Sibling, Age, Grade, Personal	ity, Getting Along w Patient?)
American? Are you particularly in Siblings (Indicate Brother/Sister and 1)	religious?nd/or Step-Sibling, Age, Grade, Personal	ity, Getting Along w Patient?)
American? Are you particularly in Siblings (Indicate Brother/Sister and 1)	religious?nd/or Step-Sibling, Age, Grade, Personal	ity, Getting Along w Patient?) IIS OR HER AGE? SIMILAR?
American? Are you particularly in Siblings (Indicate Brother/Sister and (1)	religious?nd/or Step-Sibling, Age, Grade, Personal	ity, Getting Along w Patient?) IIS OR HER AGE? SIMILAR?
American? Are you particularly in Siblings (Indicate Brother/Sister and (1)	religious?nd/or Step-Sibling, Age, Grade, Personal	ity, Getting Along w Patient?) IIS OR HER AGE? SIMILAR?
American? Are you particularly in Siblings (Indicate Brother/Sister and (1)	religious?nd/or Step-Sibling, Age, Grade, Personal GICAL PARENTS WHEN THEY WERE H	ity, Getting Along w Patient?) IIS OR HER AGE? SIMILAR?
American? Are you particularly in Siblings (Indicate Brother/Sister and (1)	religious?nd/or Step-Sibling, Age, Grade, Personal GICAL PARENTS WHEN THEY WERE H	ity, Getting Along w Patient?)

PSYCH. HISTORY OF CHILD'S BLOOD RELATIVES (Indicate YES or No and Relation)

Alcohol Abuse	Drug Abuse
ADD or AD/HD	Anxiety
Regular Depression	Bi-Polar
Obsessive/Compulsive	Eating Disorder
Aspergers or Autism	Schizophrenia
Suicide or Homicide	Other
	DEVELOPMENTAL HISTORY
Pregnancy/Delivery Problems (If Ar	ny)
Describe Infancy (Temperament, Ea	ating, Sleeping, Crying Etc.)
Walking, Talking, & Toilet Training ((At What Age? Any Problems?)
Early Childhood Personality (Toddle	er/PreSchool)
Current Personality	
Social Skills & Popularity	
MEI	DICAL HISTORY (Complete all that apply)
Pediatrician & Office Address & Te	lephone
Past & Present Medical Conditions	& Medications (Include Any Food/Drug Allergies)
Child Neurologist or Psychiatrist, M	edications & Dosages
DOES YOUR CHILD HAVE ANY SIGNI	IFICANT DOCTOR APPTS COMING UP?
<u> </u>	
PLEASE SIGN BELOW IF YOU GIVE Y	QUIRE THAT WE COORDINATE CARE WITH YOUR CHILD'S PHYSICIANS. 'OUR PERMISSION TO DO SO TO SHARE INFORMATION WITH MY CHILD'S PHYSICIANS
(SIGNATURE)	(DATE)

PSYCHOLOGICAL TRAUMA: (Has You	r Child Ever Been Abused or Traumatized?)
No or Yes or Maybe (Explain)	
HAS YOUR CHILD BEEN INVOLVED (O	OR LIKELY TO BE) IN ANY LEGAL CASES? (If Yes - Explain e.g., custody,
visitation, abuse, accident related, ir	mmigration disability, etc. Do you foresee your lawyer or a court
wanting your child's treatment reco	rds?
HAS YOUR CHILD PREVIOUSLY RECEIVE	VED PSYCHOTHERAPY?
With Whom?	When?
For What Issues?	
Were you in the sessions?	What was the therapist's approach and method(s)?
How did your child respond? Did the	y like it? Did they improve and/or change?
What did you learn from the therapy	y?
Have Mom/Dad/Sibs Been in Therap	py?If Yes, With Whom?
Since When?For What Iss	sues?
DESCRIBE YOUR CHILD'S	
Appearance	Height/Weight
Athleticism	Intelligence
Moods	Self-Esteem
Judgment	Insight (Into Self & Others)
SUMMARIZE YOUR CHILD'S PERSON.	ALITY (Include Strengths and Weaknesses):
(STRENGTHS)	
(WEAKNESSES)	
GOALS (What Should Your Child Lear	rn From Coming to The Child & Teen Success Center?)
1)	
2)	
3)	

ADDITIONAL QUESTIONS ABOUT YOUR CHILD

REPEATING Do you have to repeat yourself constantly to get your child to do something?
WAKING UP Do you have trouble getting your child to wake up? If yes I recommend a sleep apnea
study
,
HOMEWORK/STUDY Do you have trouble getting your child to do their homework and/or study?
SLEEPING Do you have trouble getting your child to go to bed and stay in their bed? Fall asleep?
MESSY Does your child leave stuff all over the house? Is their room messy and disorganized?
SIBLING(S) Does your child target one or more of his siblings?
TANTRUMS Does your child throw temper tantrums often? What do they do? How long does it take
for them to calm down?
MEALS Does your child frequently get up from the dinner table? Do they take a long time to finish their
meal?
SPECIAL INTERESTS Does your child have strong interest(s) in any particular sports team, hobby,
collectible cards, toys, music, skills, etc.?

PLEASE USE BELOW BLANK LINES TO ANSWER

DOES YOUR CHILD HAVE ANY KNOWN/SUSPECTED ALCOHOL/DRUG/TOBACCO USE AND/OR SEXUAL ACTIVITY?

OOES YOUR C	CHILD HAVE ACCESS TO GUNS OR WEAPONS IN THE HOME AND/OR ELSEWHE
OES YOUR C	CHILD EXPRESS ANIMOSITY TOWARD OTHER ETHNIC GROUPS?
OTE: IF THE	ANSWER IS YES TO ANY OF THE ABOVE QUESTIONS PLEASE CALL
R. SUSSMAN	N AT 908 217 8106; AS YOUR CHILD MAY NOT BE APPROPRIATE FOR DR.
<u>JSSMAN'S T</u>	THERAPY METHOD AND REQUIRE SPECIALIZED INDIVIDUAL THERAPY.
/ATT	TACH ADDITIONAL PAGE(S) IE NECESSARY TO EXPLAIN)

CHILD SYMPTOM CHECKLIST

CHILD'S NAME	YOUR NAME_	
CHILD'S DOB	SCHOOL ATTENDING	GRADE
Please check all items that	at apply to child for <u>at least</u> the past 6	months.
often fails to give close	attention to details or makes careless mis	stakes
often has difficulty sust	aining attention in tasks or play activities	
often does not seem to	listen when spoken to directly	
often does not follow the	nrough on instructions and fails to finish s	schoolwork or
chores, which is no	ot due to oppositional behavior or lack of	understanding
often has difficulty orga	nizing tasks and activities	
often avoids, dislikes, o	r is reluctant to engage in tasks that requi	ire sustained
mental effort (suc	h as schoolwork or homework)	
often loses things neces	sary for tasks/ activities (i.e. toys, books,	pencils, assignments)
is often easily distracted	d by extraneous stimuli	
is often forgetful of dail	y activities or routines	
(6 or more suggest	s Attention Deficit Disorder-Inattentive T	ype)
often fidgets with hand	s or feet or squirms in seat	
often leaves seat in clas	sroom situation or in other situations in v	which remaining seated is expected
often runs about or clin	nbs excessively in situations in which it is i	inappropriate
(for adolescents this ma	y be limited to feelings of restlessness)	
often has difficulty in pl	aying or engaging in leisure activities quie	etly
is often "on the go" or a	icts as if "driven by a motor"	
often talks excessively		
often blurts out answer	s before questions have been completed	
often has difficulty wait	ing his turn	
often interrupts or intru	ides on others (butts into conversations o	or games)
(6 or more Sugges	ts Attention Deficit Disorder- Hyperactive	/Impulsive Type)
Have you and/or a profe	ssional thought your child has an Atte	ention Deficit Disorder? If yes, Who and
When?		

often actively defies or refuses to comply with adults' requests or rules often deliberately annoys others often blames others for his/her mistakes or behavior is often angry or resentful is often angry or resentful is often angry or resentful is often spiteful and vindictive often throws or breaks objects often hits or physically threatens-(Circle) mother, father, grandparents, siblings (4 or more suggests Oppositional Defiant Disorder) often bullies, threatens, or intimidates other children often initiates physical fights has deliberately destroy other's property has broken into someone's house, car or building often lies to obtain goods, favors, or to avoid obligations (e.g., cons others) has tolen litems of value without facing the victim (e.g. shoplifting, forgery) often stays out at night despite parental prohibitions has run away from home overnight at least twice often cuts classes and/or truant from school shows little remorse: and even then, it is to obtain a lesser punishment (3 or more after age 14 suggests Antisocial Personality) often has rages that last for hours at a time often displays or expresses excessive fears or worries about many things, especially bad fortune to him or herself or family members often unable to engage in activities or play due to nervousness or worries does not seem interested in the activities that once brought pleasure is often mondy, teafful, and/or overly sensitive to perceived criticism or imagined slights has sleep difficulties (e.g. falling asleep or staying asleep, early morning often exhibits social anxiety (i.e., avoids interacting with anyone other than friends or family) (3 or more Indicators of Anxiety and/or Depression) has few friends and has little interest in having friends has excessive interest in things as opposed to people prefers to be alone often gets tassed or bullied - by whom? has a exceptional memory for events that occurred long ago lacks empathy and understanding of others lacks the ability for social imaginative (pretend) play has a tenden	often loses temperoften argues with others
often blames others for his/her mistakes or behavior is often "touchy" or easily annoyed by others is often angry or resentful is often angry or resentful is often spiteful and vindictive often hitso or physically threatens (Circle) mother, father, grandparents, siblings (4 or more suggests Oppositional Defiant Disorder) often hits or physically threatens (Circle) mother, father, grandparents, siblings (4 or more suggests Oppositional Defiant Disorder) often hitsiates physical flights has deliberately destroy other's property has broken into someone's house, car or building often lies to obtain goods, favors, or to avoid obligations (e.g. cons others) has stolen items of value without facing the victim (e.g. shoplifting, forgery) often stays out at night despite parental prohibitions has run away from home overnight at least twice often cuts classes and/or truant from school shows little remorse: and even then, it is to obtain a lesser punishment (3 or more after age 14 suggests Antisocial Personality) often has rages that last for hours at a time often displays or expresses excessive fears or worries about many things, especially bad fortune to him or herself or family members often unable to engage in activities or play due to nervousness or worries does not seem interested in the activities that once brought pleasure is often moody, tearful, and/or overly sensitive to perceived criticism or imagined slights has seperineed significant weight gain or loss in past 12 months has sleep difficulties (e.g., falling asleep or staying asleep, early morning awakenings, or trouble getting up in morning) often exhibits social anxiety (i.e., avoids interacting with anyone other than friends or family) (3 or more indicators of Anxiety and/or Depression) has few friends and has little interest in having friends has exceptional memory for events that occurred long ago lacks empathy and understanding of others lass the ability for social imaginative (pretend) play has a tendency to flap or rock when distressed does "stem	often actively defies or refuses to comply with adults' requests or rules
is often angry or resethful is often spiteful and vindictive often throws or breaks objects often throws or breaks objects often third or physically threatens-(circle) mother, father, grandparents, siblings (4 or more suggests Oppositional Defiant Disorder) often bullies, threatens, or intimidates other children often initiates physical fights has deliberately destroy other's property has broken into someone's house, car or building often lies to obtain goods, favors, or to avoid obligations (e.g. cons others) has stolien items of value without facing the victim (e.g. shoplifting, forgery) often stays out at night despite parental prohibitions has run away from home overnight at least twice often cuts classes and/or truant from school shows little remorse: and even then, it is to obtain a lesser punishment (3 or more after age 14 suggests Antisocial Personality) often has rages that last for hours at a time often displays or expresses excessive fears or worries about many things, especially bad fortune to him or herself or family members often unable to engage in activities or play due to nervousness or worries does not seem interested in the activities that once brought pleasure is often moody, tearful, and/or overly sensitive to perceived criticism or imagined slights has experienced significant weight gain or loss in past 12 months has seep difficulties (e.g. falling asleep or staying asleep, early morning awakenings, or trouble getting up in morning) often exhibits social anxiety (i.e., avoids interacting with anyone other than friends or family) has few friends and has little interest in having friends has excessive interest in things as opposed to people prefers to be alone often gets teased or bullied - by whom? has a excessive interest in things as opposed to people prefers to be alone often gets teased or bullied - by whom? has a excessive Interest in things as opposed to people prefers to be alone often gets teased or bullied - by whom? lacks empathy and understanding of others lacks the ability fo	
is often angry or resentful is often spiteful and vindictive often throws or breaks objects often hits or physically threatens (Circle) mother, father, grandparents, siblings (4 or more suggests Oppositional Defiant Disorder) often bullies, threatens, or intimidates other children often initiates physical flights has deliberately destroy other's property has broken into someone's house, car or building often lies to obtain goods, favors, or to avoid obligations (e.g. cons others) has stolen items of value without facing the victim (e.g. shoplifting, forgery) often stays out at night despite parental prohibitions has run away from home overnight at least twice often cuts classes and/or truant from school shows little remorse: and even then, it is to obtain a lesser punishment (3 or more after age 14 suggests Antisocial Personality) often has rages that last for hours at a time often displays or expresses excessive fears or worries about many things, especially bad fortune to him or herself or family members often unable to engage in activities or play due to nervousness or worries does not seem interested in the activities that once brought pleasure is often moody, tearful, and/or overly sensitive to perceived criticism or imagined slights has sexperienced significant weight gain or loss in past 12 months has aleep difficulties (e.g. falling asleep or staying asleep, early morning or trouble getting up in morning) often exhibits social anxiety (i.e., avoids interacting with anyone other than friends or family) (3 or more Indicators of Anxiety and/or Depression) has few friends and has little interest in having friends has excessive interest in things as opposed to people prefers to be alone often gets teased or bullied - by whom? has excessive interest in things as opposed to people prefers to be alone lacks empathy and understanding of others lacks the ability for social imaginative (pretend) play has a tendency to flap or rock when distressed does "ots teased or bullied" by whom? has any professional sugges	
is often spiteful and vindictive often throws or breaks objects often throws or breaks objects (A or more suggests Oppositional Defiant Disorder) often bullies, threatens, or intimidates other children often initiates physical fights has deliberately destroy other's property has broken into someone's house, car or building often lies to obtain goods, favors, or to avoid obligations (e.g. cons others) has stolen items of value without facing the victim (e.g. shoplifting, forgery) often stays out at night despite parental prohibitions has run away from home overnight at least twice often cuts classes and/or truant from school shows little remorse: and even then, it is to obtain a lesser punishment (3 or more after age 14 suggests Antisocial Personality) often has rages that last for hours at a time often displays or expresses excessive fears or worries about many things, especially bad fortune to him or herself or family members often unable to engage in activities or play due to nervousness or worries does not seem interested in the activities that once brought pleasure is often moody, tearful, and/or overly sensitive to perceived criticism or imagined slights has seeperienced significant weight gain or loss in past 12 months has sexperienced significant weight gain or loss in past 12 months has sexperienced significant weight gain or loss in past 12 months has sexperienced significant weight gain or loss in past 12 months has sexperienced significant weight gain or loss, in past 12 months has sexperienced significant weight gain or loss, in past 12 months has sexperienced significant weight gain or loss, in past 12 months has sexperienced significant weight gain or loss, in past 12 months has sexperienced significant weight gain or loss, in past 12 months has sexperienced significant weight gain or loss, in past 12 months has sexperienced significant weight gain or loss, on past 12 months has sexperienced significant weight gain or loss, on past 12 months has sexperienced significant weight gain or loss, on p	
often hirs or physically threatens-(Circle) mother, father, grandparents, siblings (4 or more suggests Oppositional Defiant Disorder) often billies, threatens, or intimidates other children often initiates physical fights has deliberately destroy other's property has broken into someon's house, car or building often lies to obtain goods, favors, or to avoid obligations (e.g., cons others) has stolen items of value without facing the victim (e.g., shoplifting, forgery) often stays out at night despite parental prohibitions has run away from home overnight at least twice often cuts classes and/or truant from school shows little remorse: and even then, it is to obtain a lesser punishment (3 or more after age 14 suggests Antisocial Personality) often has rages that last for hours at a time often displays or expresses excessive fears or worries about many things, especially bad fortune to him or herself or family members often unable to engage in activities or play due to nervousness or worries does not seem interested in the activities that once brought pleasure is often moody, tearful, and/or overly sensitive to perceived criticism or imagined slights has experienced significant weight gain or loss in past 12 months has sleep difficulties (e.g., falling asleep or staying asleep, early morning or trouble getting up in morning) often exhibits social anxiety (i.e., avoids interacting with anyone other than friends or family) (3 or more Indicators of Anxiety and/or Depression) has few friends and has little interest in having friends has excessive interest in things as opposed to people prefers to be alone often gets teased or bullied - by whom? has excessive Interest in things as opposed to people prefers to be alone often gets teased or willied - by whom? has an unusual tone of voice and/or lacks inflection has alter therest in the latest popular fad in toys, clothes and music has an unusual tone of voice and/or lacks inflection has an exceptional memory for events that occurred long ago lacks empathy and underst	
often hits or physically threatens-(Circle) mother, father, grandparents, siblings (4 or more suggests Oppositional Defiant Disorder) often bullies, threatens, or intimidates other children often initiates physical fights has deliberately destroy other's property has broken into someone's house, car or building often lies to obtain goods, favors, or to avoid obligations (e.g. cons others) has stolen items of value without facing the victim (e.g. shoplifting, forgery) often stays out at night despite parental prohibitions has run away from home overnight at least twice often cuts classes and/or truant from school shows little remorse: and even then, it is to obtain a lesser punishment (3 or more after age 14 suggests Antisocial Personality) often has rages that last for hours at a time often displays or expresses excessive fears or worries about many things, especially bad fortune to him or herself or family members often unable to engage in activities or play due to nervousness or worries does not seem interested in the activities that once brought pleasure is often moody, tearful, and/or overly sensitive to perceived criticism or imagined slights has experienced significant weight gain or loss in past 12 months has sleep difficulties (e.g. falling asleep or staying asleep, early morning or trouble getting up in morning) often exhibits social anxiety (i.e., avoids interacting with anyone other than friends or family) (3 or more Indicators of Anxiety and/or Depression) has excessive interest in things as opposed to people prefers to be alone often gets teased or bullied - by whom? has an excessive interest in things as opposed to people prefers to be alone often gets teased or bullied - by whom? has an excessive indenders that or or ock when distressed does "stemming" - wringing of hands and/or fingers (3 or more Indicators of Pervasive Developmental Disorders) Has any professional suggested or diagnosed your child with Oppositional Defiant Disorder, Autistic Spectrum Disorder, Pervasive Developmental Disord	
(4 or more suggests Oppositional Defiant Disorder) often bullies, threatens, or intimidates other children often initiates physical fights has deliberately destroy other's property has broken into someone's house, car or building often lies to obtain goods, favors, or to avoid obligations (e.g. cons others) has stolen items of value without facing the victim (e.g. shoplifting, forgery) often stays out at night despite parental prohibitions has run away from home overnight at least twice often cuts classes and/or truant from school shows little remorse: and even then, it is to obtain a lesser punishment (3 or more after age 14 suggests Antisocial Personality) often has rages that last for hours at a time often displays or expresses excessive fears or worries about many things, especially bad fortune to him or herself or family members often unable to engage in activities or play due to nervousness or worries does not seem interested in the activities that once brought pleasure is often moody, tearful, and/or overly sensitive to perceived criticism or imagined slights has experienced significant weight gain or loss in past 12 months has sleep difficulties (e.g. falling asleep or staying asleep, early morning awakenings, or trouble getting up in morning) often exhibits social anxiety (i.e., avoids interacting with anyone other than friends or family) (3 or more Indicators of Anxiety and/or Depression) has few friends and has little interest in having friends has excessive interest in things as opposed to people prefers to be alone often gets teased or bullied - by whom? has an unusual tone of voice and/or lacks inflection has an an exceptional memory for events that occurred long ago lacks empathy and understanding of others lacks the ability for social imaginative (pretend) play has a tendency to flap or rock when distressed does "stemming" - wringing of hands and/or fingers (3 or more Indicators of Pervasive Developmental Disorders, Anxiety, Depression? If yes, Who and When?	
often initiates physical fights has deliberately destroy other's property has broken into someone's house, car or building often lies to obtain goods, favors, or to avoid obligations (e.g. cons others) has stolen items of value without facing the victim (e.g. shoplifting, forgery) often stays out at night despite parental prohibitions has run away from home overnight at least twice often cuts classes and/or truant from school shows little remorse: and even then, it is to obtain a lesser punishment (3 or more after age 14 suggests Antisocial Personality) often has rages that last for hours at a time often displays or expresses excessive fears or worries about many things, especially bad fortune to him or herself or family members often unable to engage in activities or play due to nervousness or worries does not seem interested in the activities that once brought pleasure is often moody, tearful, and/or overly sensitive to perceived criticism or imagined slights has experienced significant weight gain or loss in past 12 months has sleep difficulties (e.g. falling asleep or staying asleep, early morning awakenings, or trouble getting up in morning) often exhibits social anxiety (i.e., avoids interacting with anyone other than friends or family) (3 or more Indicators of Anxiety and/or Depression) has few friends and has little interest in having friends has excessive interest in things as opposed to people prefers to be alone often gets teased or bullied - by whom? has excessive interest in the latest popular fad in toys, clothes and music has an unusual tone of voice and/or lacks inflection has an exceptional memory for events that occurred long ago lacks empathy and understanding of others lacks the ability for social imaginative (pretend) play has a tendency to flap or rock when distressed does "stemming" - wringing of hands and/or fingers (3 or more indicators of Pervasive Developmental Disorder, Anxiety, Depression? If yes, Who and When?	
often initiates physical fights has deliberately destroy other's property has broken into someone's house, car or building often lies to obtain goods, favors, or to avoid obligations (e.g. cons others) has stolen items of value without facing the victim (e.g. shoplifting, forgery) often stays out at night despite parental prohibitions has run away from home overnight at least twice often cuts classes and/or truant from school shows little remorse: and even then, it is to obtain a lesser punishment (3 or more after age 14 suggests Antisocial Personality) often has rages that last for hours at a time often displays or expresses excessive fears or worries about many things, especially bad fortune to him or herself or family members often unable to engage in activities or play due to nervousness or worries does not seem interested in the activities that once brought pleasure is often moody, tearful, and/or overly sensitive to perceived criticism or imagined slights has experienced significant weight gain or loss in past 12 months has sleep difficulties (e.g. falling asleep or staying asleep, early morning awakenings, or trouble getting up in morning) often exhibits social anxiety (i.e., avoids interacting with anyone other than friends or family) (3 or more Indicators of Anxiety and/or Depression) has few friends and has little interest in having friends has excessive interest in things as opposed to people prefers to be alone often gets teased or bullied - by whom? has excessive interest in the latest popular fad in toys, clothes and music has an unusual tone of voice and/or lacks inflection has an exceptional memory for events that occurred long ago lacks empathy and understanding of others lacks the ability for social imaginative (pretend) play has a tendency to flap or rock when distressed does "stemming" - wringing of hands and/or fingers (3 or more indicators of Pervasive Developmental Disorder, Anxiety, Depression? If yes, Who and When?	often bullies, threatens, or intimidates other children
has deliberately destroy other's property has broken into someone's house, car or building often lies to obtain goods, favors, or to avoid obligations (e.g. cons others) has stolen items of value without facing the victim (e.g. shoplifting, forgery) often stays out a night despite parental prohibitions has run away from home overnight at least twice often stays out at night despite parental prohibitions has run away from home overnight at least twice often stays out at night despite parental prohibitions has run away from home overnight at least twice often stays out a night despite parental prohibitions shows little remorse: and even then, it is to obtain a lesser punishment (3 or more after age 14 suggests Antisocial Personality) often has rages that last for hours at a time often displays or expresses excessive fears or worries about many things, especially bad fortune to him or herself or family members often unable to engage in activities or play due to nervousness or worries does not seem interested in the activities that once brought pleasure is often moody, tearful, and/or overly sensitive to perceived criticism or imagined slights has experienced significant weight gain or loss in past 12 months has sleep difficulties (e.g. falling asleep or staying asleep, early morning awakenings, or trouble getting up in morning) often exhibits social anxiety (i.e., avoids interacting with anyone other than friends or family) (3 or more indicators of Anxiety and/or Depression) has few friends and has little interest in having friends has excessive interest in things as opposed to people prefers to be alone often gets teased or bullied - by whom? has excessive knowledge, like an encyclopedia, about an unusual topic has little interest in the latest popular fad in toys, clothes and music has an unusual tone of voice and/or lacks inflection has an exceptional memory for events that occurred long ago lacks empathy and understanding of others lacks the ability for social imaginative (pretend) play has a tendency to fla	
has broken into someone's house, car or building often lies to obtain goods, favors, or to avoid obligations (e.g. cons others) has stolen items of value without facing the victim (e.g. shoplifting, forgery) often stays out at night despite parental prohibitions has run away from home overnight at least twice often cuts classes and/or truant from school shows little remorse: and even then, it is to obtain a lesser punishment (3 or more after age 14 suggests Antisocial Personality) often has rages that last for hours at a time often displays or expresses excessive fears or worries about many things, especially bad fortune to him or herself or family members often displays or expresses excessive fears or worries about many things, especially bad fortune to him or herself or family members often unable to engage in activities or play due to nervousness or worries does not seem interested in the activities that once brought pleasure is often moody, tearful, and/or overly sensitive to perceived criticism or imagined slights has experienced significant weight gain or loss in past 12 months has sleep difficulties (e.g. falling asleep or staying asleep, early morning awakenings, or trouble getting up in morning) often exhibits social anxiety (i.e., avoids interacting with anyone other than friends or family) (3 or more Indicators of Anxiety and/or Depression) has few friends and has little interest in having friends has excessive interest in things as opposed to people prefers to be alone often gets teased or bullied - by whom? has excessive knowledge, like an encyclopedia, about an unusual topic has little interest in the latest popular fad in toys, clothes and music has an exceptional memory for events that occurred long ago lacks empathy and understanding of others lacks the ability for social imaginative (pretend) play has a tendency to flap or rock when distressed does "stemming" - wringing of hands and/or fingers (3 or more Indicators of Pervasive Developmental Disorder, Anxiety, Depression? If yes, Who and Wh	
often lies to obtain goods, favors, or to avoid obligations (e.g. cons others) has stolen items of value without facing the victim (e.g. shoplifting, forgery) often stays out at night despite parental prohibitions has run away from home overnight at least twice often cuts classes and/or truant from school shows little remorse: and even then, it is to obtain a lesser punishment (3 or more after age 14 suggests Antisocial Personality) often has rages that last for hours at a time often displays or expresses excessive fears or worries about many things, especially bad fortune to him or herself or family members often unable to engage in activities or play due to nervousness or worries does not seem interested in the activities that once brought pleasure is often moody, tearful, and/or overly sensitive to perceived criticism or imagined slights has experienced significant weight gain or loss in past 12 months has sleep difficulties (e.g. falling asleep or staying asleep, early morning awakenings, or trouble getting up in morning) often exhibits social anxiety (i.e., avoids interacting with anyone other than friends or family) (3 or more Indicators of Anxiety and/or Depression) has few friends and has little interest in having friends has excessive interest in things as opposed to people prefers to be alone often gets teased or bullied - by whom? has an exceptional memory for events that occurred long ago lacks empathy and understanding of others lacks the ability for social imaginative (pretend) play has a tendency to flap or rock when distressed does "stemming" - wringing of hands and/or fingers (3 or more Indicators of Pervasive Developmental Disorders) Has any professional suggested or diagnosed your child with Oppositional Defiant Disorder, Autistic Spectrum Disorder, Pervasive Developmental Disorder, Aspergers' Disorder, Anxiety, Depression?	
often stays out at night despite parental prohibitions has run away from home overnight at least twice often cuts classes and/or truant from school shows little remorse: and even then, it is to obtain a lesser punishment (3 or more after age 14 suggests Antisocial Personality) often has rages that last for hours at a time often displays or expresses excessive fears or worries about many things, especially bad fortune to him or herself or family members often unable to engage in activities or play due to nervousness or worries does not seem interested in the activities that once brought pleasure is often moody, tearful, and/or overly sensitive to perceived criticism or imagined slights has experienced significant weight gain or loss in past 12 months has sleep difficulties (e.g. falling asleep or staying asleep, early morning awakenings, or trouble getting up in morning) often exhibits social anxiety (i.e., avoids interacting with anyone other than friends or family) (3 or more Indicators of Anxiety and/or Depression) has few friends and has little interest in having friends has excessive interest in things as opposed to people prefers to be alone often gets teased or bullied - by whom? has an exceptional memory for events that occurred long ago lacks empathy and understanding of others lacks the ability for social imaginative (pretend) play has a tendency to flap or rock when distressed does "stemming" - wringing of hands and/or fingers (3 or more Indicators of Pervasive Developmental Disorder, Anxiety, Depression? If yes, Who and When?	
has run away from home overnight at least twice often cuts classes and/or truant from school shows little remorses: and even then, it is to obtain a lesser punishment (3 or more after age 14 suggests Antisocial Personality) often has rages that last for hours at a time often displays or expresses excessive fears or worries about many things, especially bad fortune to him or herself or family members often unable to engage in activities or play due to nervousness or worries does not seem interested in the activities that once brought pleasure is often moody, tearful, and/or overly sensitive to perceived criticism or imagined slights has seperienced significant weight gain or loss in past 12 months has sleep difficulties (e.g., falling asleep or staying asleep, early morning awakenings, or trouble getting up in morning) often exhibits social anxiety (i.e., avoids interacting with anyone other than friends or family) (3 or more Indicators of Anxiety and/or Depression) has few friends and has little interest in having friends has excessive interest in things as opposed to people prefers to be alone often gets teased or bullied - by whom? has excessive knowledge, like an encyclopedia, about an unusual topic has intitle interest in the latest popular fad in toys, clothes and music has an exceptional memory for events that occurred long ago lacks empathy and understanding of others lacks the ability for social imaginative (pretend) play has a tendency to flap or rock when distressed does "stemming" - wringing of hands and/or fingers (3 or more Indicators of Pervasive Developmental Disorder, Anxiety, Depression? If yes, Who and When?	has stolen items of value without facing the victim (e.g. shoplifting, forgery)
often cuts classes and/or truant from school shows little remorse: and even then, it is to obtain a lesser punishment (3 or more after age 14 suggests Antisocial Personality) often has rages that last for hours at a time often displays or expresses excessive fears or worries about many things, especially bad fortune to him or herself or family members often unable to engage in activities or play due to nervousness or worries does not seem interested in the activities that once brought pleasure is often moody, tearful, and/or overly sensitive to perceived criticism or imagined slights has experienced significant weight gain or loss in past 12 months has sleep difficulties (e.g. falling asleep or staying asleep, early morning awakenings, or trouble getting up in morning) often exhibits social anxiety (i.e., avoids interacting with anyone other than friends or family) (3 or more Indicators of Anxiety and/or Depression) has few friends and has little interest in having friends has excessive interest in things as opposed to people prefers to be alone often gets teased or bullied - by whom? has excessive knowledge, like an encyclopedia, about an unusual topic has little interest in the latest popular fad in toys, clothes and music has an unusual tone of voice and/or lacks inflection has an exceptional memory for events that occurred long ago lacks empathy and understanding of others lacks the ability for social imaginative (pretend) play has a tendency to flap or rock when distressed does "stemming" - wringing of hands and/or fingers (3 or more Indicators of Pervasive Developmental Disorders) Has any professional suggested or diagnosed your child with Oppositional Defiant Disorder, Autistic Spectrum Disorder, Pervasive Developmental Disorder, Aspergers' Disorder, Anxiety, Depression? If yes, Who and When?	often stays out at night despite parental prohibitions
shows little remorse: and even then, it is to obtain a lesser punishment (3 or more after age 14 suggests Antisocial Personality) often has rages that last for hours at a time often displays or expresses excessive fears or worries about many things, especially bad fortune to him or herself or family members often unable to engage in activities or play due to nervousness or worries does not seem interested in the activities that once brought pleasure is often moody, tearful, and/or overly sensitive to perceived criticism or imagined slights has sexperienced significant weight gain or loss in past 12 months has sleep difficulties (e.g. falling asleep or staying asleep, early morning awakenings, or trouble getting up in morning) often exhibits social anxiety (i.e., avoids interacting with anyone other than friends or family) (3 or more Indicators of Anxiety and/or Depression) has few friends and has little interest in having friends has excessive interest in things as opposed to people prefers to be alone often gets teased or bullied - by whom? has excessive knowledge, like an encyclopedia, about an unusual topic has little interest in the latest popular fad in toys, clothes and music has an unusual tone of voice and/or lacks inflection has an exceptional memory for events that occurred long ago lacks empathy and understanding of others lacks the ability for social imaginative (pretend) play has a tendency to flap or rock when distressed does "stemming" - wringing of hands and/or fingers (3 or more Indicators of Pervasive Developmental Disorder, Anxiety, Depression? If yes, Who and When?	has run away from home overnight at least twice
often has rages that last for hours at a time often displays or expresses excessive fears or worries about many things, especially bad fortune to him or herself or family members often unable to engage in activities or play due to nervousness or worries does not seem interested in the activities that once brought pleasure is often moody, tearful, and/or overly sensitive to perceived criticism or imagined slights has experienced significant weight gain or loss in past 12 months has sleep difficulties (e.g. falling asleep or staying asleep, early morning awakenings, or trouble getting up in morning) often exhibits social anxiety (i.e., avoids interacting with anyone other than friends or family) (3 or more Indicators of Anxiety and/or Depression) has few friends and has little interest in having friends has excessive interest in things as opposed to people prefers to be alone often gets teased or bullied - by whom? has excessive knowledge, like an encyclopedia, about an unusual topic has little interest in the latest popular fad in toys, clothes and music has an unusual tone of voice and/or lacks inflection has an exceptional memory for events that occurred long ago lacks empathy and understanding of others lacks the ability for social imaginative (pretend) play has a tendency to flap or rock when distressed does "stemming" - wringing of hands and/or fingers (3 or more Indicators of Pervasive Developmental Disorders) Has any professional suggested or diagnosed your child with Oppositional Defiant Disorder, Autistic Spectrum Disorder, Pervasive Developmental Disorder, Aspergers' Disorder, Anxiety, Depression? If yes, Who and When?	
often has rages that last for hours at a timeoften displays or expresses excessive fears or worries about many things,especially bad fortune to him or herself or family membersoften unable to engage in activities or play due to nervousness or worries	
often displays or expresses excessive fears or worries about many things, especially bad fortune to him or herself or family members often unable to engage in activities or play due to nervousness or worries does not seem interested in the activities that once brought pleasure is often moody, tearful, and/or overly sensitive to perceived criticism or imagined slights has experienced significant weight gain or loss in past 12 months has sleep difficulties (e.g. falling asleep or staying asleep, early morning awakenings, or trouble getting up in morning) often exhibits social anxiety (i.e., avoids interacting with anyone other than friends or family) (3 or more Indicators of Anxiety and/or Depression)	(3 or more after age 14 suggests Antisocial Personality)
often displays or expresses excessive fears or worries about many things, especially bad fortune to him or herself or family members often unable to engage in activities or play due to nervousness or worries does not seem interested in the activities that once brought pleasure is often moody, tearful, and/or overly sensitive to perceived criticism or imagined slights has experienced significant weight gain or loss in past 12 months has sleep difficulties (e.g. falling asleep or staying asleep, early morning awakenings, or trouble getting up in morning) often exhibits social anxiety (i.e., avoids interacting with anyone other than friends or family) (3 or more Indicators of Anxiety and/or Depression)	often has rages that last for hours at a time
often unable to engage in activities or play due to nervousness or worriesdoes not seem interested in the activities that once brought pleasureis often moody, tearful, and/or overly sensitive to perceived criticism or imagined slightshas experienced significant weight gain or loss in past 12 monthshas sleep difficulties (e.g., falling asleep or staying asleep, early morning awakenings, or trouble getting up in morning)often exhibits social anxiety (i.e., avoids interacting with anyone other than friends or family)	
does not seem interested in the activities that once brought pleasure is often moody, tearful, and/or overly sensitive to perceived criticism or imagined slights has experienced significant weight gain or loss in past 12 months has sleep difficulties (e.g. falling asleep or staying asleep, early morning awakenings, or trouble getting up in morning) often exhibits social anxiety (i.e., avoids interacting with anyone other than friends or family) (3 or more Indicators of Anxiety and/or Depression) has few friends and has little interest in having friends has excessive interest in things as opposed to people prefers to be alone often gets teased or bullied - by whom? has excessive knowledge, like an encyclopedia, about an unusual topic has little interest in the latest popular fad in toys, clothes and music has an unusual tone of voice and/or lacks inflection has an exceptional memory for events that occurred long ago lacks empathy and understanding of others lacks the ability for social imaginative (pretend) play has a tendency to flap or rock when distressed does "stemming" - wringing of hands and/or fingers (3 or more Indicators of Pervasive Developmental Disorders) Has any professional suggested or diagnosed your child with Oppositional Defiant Disorder, Autistic Spectrum Disorder, Pervasive Developmental Disorder, Aspergers' Disorder, Anxiety, Depression?	especially bad fortune to him or herself or family members
is often moody, tearful, and/or overly sensitive to perceived criticism or imagined slights has experienced significant weight gain or loss in past 12 months has sleep difficulties (e.g. falling asleep or staying asleep, early morning awakenings, or trouble getting up in morning) often exhibits social anxiety (i.e., avoids interacting with anyone other than friends or family) (3 or more Indicators of Anxiety and/or Depression) has few friends and has little interest in having friends has excessive interest in things as opposed to people prefers to be alone often gets teased or bullied - by whom? has excessive knowledge, like an encyclopedia, about an unusual topic has little interest in the latest popular fad in toys, clothes and music has an unusual tone of voice and/or lacks inflection has an exceptional memory for events that occurred long ago lacks empathy and understanding of others lacks the ability for social imaginative (pretend) play has a tendency to flap or rock when distressed does "stemming" - wringing of hands and/or fingers (3 or more Indicators of Pervasive Developmental Disorders) Has any professional suggested or diagnosed your child with Oppositional Defiant Disorder, Autistic Spectrum Disorder, Pervasive Developmental Disorder, Aspergers' Disorder, Anxiety, Depression? If yes, Who and When?	often unable to engage in activities or play due to nervousness or worries
has experienced significant weight gain or loss in past 12 months has sleep difficulties (e.g. falling asleep or staying asleep, early morning or trouble getting up in morning) often exhibits social anxiety (i.e., avoids interacting with anyone other than friends or family) (3 or more Indicators of Anxiety and/or Depression) has few friends and has little interest in having friends has excessive interest in things as opposed to people prefers to be alone often gets teased or bullied - by whom? has excessive knowledge, like an encyclopedia, about an unusual topic has little interest in the latest popular fad in toys, clothes and music has an unusual tone of voice and/or lacks inflection has an exceptional memory for events that occurred long ago lacks empathy and understanding of others lacks the ability for social imaginative (pretend) play has a tendency to flap or rock when distressed does "stemming" - wringing of hands and/or fingers (3 or more Indicators of Pervasive Developmental Disorders) Has any professional suggested or diagnosed your child with Oppositional Defiant Disorder, Autistic Spectrum Disorder, Pervasive Developmental Disorder, Aspergers' Disorder, Anxiety, Depression? If yes, Who and When?	
has sleep difficulties (e.g. falling asleep or staying asleep, early morning or trouble getting up in morning)often exhibits social anxiety (i.e., avoids interacting with anyone other than friends or family)	
or trouble getting up in morning)often exhibits social anxiety (i.e., avoids interacting with anyone other than friends or family)	
often exhibits social anxiety (i.e., avoids interacting with anyone other than friends or family)	
has few friends and has little interest in having friendshas excessive interest in things as opposed to peopleprefers to be aloneoften gets teased or bullied - by whom?has excessive knowledge, like an encyclopedia, about an unusual topichas little interest in the latest popular fad in toys, clothes and musichas an unusual tone of voice and/or lacks inflectionhas an exceptional memory for events that occurred long agolacks empathy and understanding of otherslacks the ability for social imaginative (pretend) playhas a tendency to flap or rock when distresseddoes "stemming" - wringing of hands and/or fingersdoes "stemming" - wringing of hands and/or fingersdoes "nore Indicators of Pervasive Developmental Disorders) Has any professional suggested or diagnosed your child with Oppositional Defiant Disorder, Autistic Spectrum Disorder, Pervasive Developmental Disorder, Aspergers' Disorder, Anxiety, Depression? If yes, Who and When?	
has few friends and has little interest in having friendshas excessive interest in things as opposed to peopleprefers to be aloneoften gets teased or bullied - by whom?has excessive knowledge, like an encyclopedia, about an unusual topichas little interest in the latest popular fad in toys, clothes and musichas an unusual tone of voice and/or lacks inflectionhas an exceptional memory for events that occurred long agolacks empathy and understanding of otherslacks the ability for social imaginative (pretend) playhas a tendency to flap or rock when distresseddoes "stemming" - wringing of hands and/or fingersdoes "stemming" - wringing of hands and/or fingersdoes "stemming" - wringing of hands and/or fingersdoes "nore Indicators of Pervasive Developmental Disorders) Has any professional suggested or diagnosed your child with Oppositional Defiant Disorder, Autistic Spectrum Disorder, Pervasive Developmental Disorder, Aspergers' Disorder, Anxiety, Depression? If yes, Who and When?	
has excessive interest in things as opposed to peopleprefers to be aloneoften gets teased or bullied - by whom?has excessive knowledge, like an encyclopedia, about an unusual topichas little interest in the latest popular fad in toys, clothes and musichas an unusual tone of voice and/or lacks inflectionhas an exceptional memory for events that occurred long agolacks empathy and understanding of otherslacks the ability for social imaginative (pretend) playhas a tendency to flap or rock when distresseddoes "stemming" - wringing of hands and/or fingersdoes "stemming" - wrin	(3 or more indicators of Anxiety and/or Depression)
prefers to be aloneoften gets teased or bullied - by whom? has excessive knowledge, like an encyclopedia, about an unusual topic has little interest in the latest popular fad in toys, clothes and music has an unusual tone of voice and/or lacks inflection has an exceptional memory for events that occurred long agolacks empathy and understanding of otherslacks the ability for social imaginative (pretend) playhas a tendency to flap or rock when distresseddoes "stemming" - wringing of hands and/or fingers	
often gets teased or bullied - by whom? has excessive knowledge, like an encyclopedia, about an unusual topic has little interest in the latest popular fad in toys, clothes and music has an unusual tone of voice and/or lacks inflection has an exceptional memory for events that occurred long ago lacks empathy and understanding of others lacks the ability for social imaginative (pretend) play has a tendency to flap or rock when distressed does "stemming" - wringing of hands and/or fingers (3 or more Indicators of Pervasive Developmental Disorders) Has any professional suggested or diagnosed your child with Oppositional Defiant Disorder, Autistic Spectrum Disorder, Pervasive Developmental Disorder, Aspergers' Disorder, Anxiety, Depression? If yes, Who and When?	
has excessive knowledge, like an encyclopedia, about an unusual topic has little interest in the latest popular fad in toys, clothes and music has an unusual tone of voice and/or lacks inflection has an exceptional memory for events that occurred long ago lacks empathy and understanding of others lacks the ability for social imaginative (pretend) play has a tendency to flap or rock when distressed does "stemming" - wringing of hands and/or fingers (3 or more Indicators of Pervasive Developmental Disorders) Has any professional suggested or diagnosed your child with Oppositional Defiant Disorder, Autistic Spectrum Disorder, Pervasive Developmental Disorder, Aspergers' Disorder, Anxiety, Depression? If yes, Who and When?	
has little interest in the latest popular fad in toys, clothes and music has an unusual tone of voice and/or lacks inflection has an exceptional memory for events that occurred long ago lacks empathy and understanding of others lacks the ability for social imaginative (pretend) play has a tendency to flap or rock when distressed does "stemming" - wringing of hands and/or fingers (3 or more Indicators of Pervasive Developmental Disorders) Has any professional suggested or diagnosed your child with Oppositional Defiant Disorder, Autistic Spectrum Disorder, Pervasive Developmental Disorder, Aspergers' Disorder, Anxiety, Depression? If yes, Who and When?	
has an unusual tone of voice and/or lacks inflection has an exceptional memory for events that occurred long ago lacks empathy and understanding of others lacks the ability for social imaginative (pretend) play has a tendency to flap or rock when distressed does "stemming" - wringing of hands and/or fingers (3 or more Indicators of Pervasive Developmental Disorders) Has any professional suggested or diagnosed your child with Oppositional Defiant Disorder, Autistic Spectrum Disorder, Pervasive Developmental Disorder, Aspergers' Disorder, Anxiety, Depression? If yes, Who and When?	
has an exceptional memory for events that occurred long ago lacks empathy and understanding of others lacks the ability for social imaginative (pretend) play has a tendency to flap or rock when distressed does "stemming" - wringing of hands and/or fingers (3 or more Indicators of Pervasive Developmental Disorders) Has any professional suggested or diagnosed your child with Oppositional Defiant Disorder, Autistic Spectrum Disorder, Pervasive Developmental Disorder, Aspergers' Disorder, Anxiety, Depression? If yes, Who and When?	
<pre>lacks empathy and understanding of otherslacks the ability for social imaginative (pretend) playhas a tendency to flap or rock when distresseddoes "stemming" - wringing of hands and/or fingers</pre>	
lacks the ability for social imaginative (pretend) playhas a tendency to flap or rock when distresseddoes "stemming" - wringing of hands and/or fingers	
has a tendency to flap or rock when distresseddoes "stemming" - wringing of hands and/or fingers	
does "stemming" - wringing of hands and/or fingers (3 or more Indicators of Pervasive Developmental Disorders) Has any professional suggested or diagnosed your child with Oppositional Defiant Disorder, Autistic Spectrum Disorder, Pervasive Developmental Disorder, Aspergers' Disorder, Anxiety, Depression? If yes, Who and When?	
(3 or more Indicators of Pervasive Developmental Disorders) Has any professional suggested or diagnosed your child with Oppositional Defiant Disorder, Autistic Spectrum Disorder, Pervasive Developmental Disorder, Aspergers' Disorder, Anxiety, Depression? If yes, Who and When?	
Disorder, Pervasive Developmental Disorder, Aspergers' Disorder, Anxiety, Depression? If yes, Who and When?	
Disorder, Pervasive Developmental Disorder, Aspergers' Disorder, Anxiety, Depression? If yes, Who and When?	Has any professional suggested or diagnosed your child with Oppositional Defiant Disorder, Autistic Spectrum
If yes, Who and When?	

IF YOU ARE COMFORTABLE, GIVE THIS FORM TO AT LEAST ONE OF YOUR CHILD'S TEACHER(S).

THE TEACHER(S) SHOULD BE THE ONE(S) WHO KNOWS YOUR CHILD WELL. IT IS BEST IF THE TEACHER(S) HAS BEEN WORKING WITH YOUR CHILD FOR AT LEAST TWO MONTHS.

NOTE: FROM JULY THRU OCTOBER TRY TO GET LAST YEAR'S TEACHER(S) TO FILL IT OUT. TEACHER'S RATING SCALE

TO BE COMPLETED BY TEACHER(S) WHO KNOWS THE CHILD BEST.

PLEASE READ EACH ITEM AND *COMPARE THE CHILD'S BEHAVIOR WITH THAT OF THEIR CLASSMATES.* CIRCLE THE NUMBER THAT MOST CLOSELY CORRESPONDS WITH YOUR EVALUATION. THANK YOU FOR YOUR HELP.

CHILD'S NAMETEACHER					DATE	
TENTI	ON	Almost I	Never>>>	·>>>>	lmost Al	wavs
1.	Works well independently	1	2	3	4	5
2.	Persists with task for reasonable amount of time	1	2	3	4	5
3.	Completes assigned task satisfactorily with little h	nelp 1	2	3	4	5
4.	Follows simple directions accurately	1	2	3	4	5
5.	Follows a sequence of instructions	1	2	3	4	5
6.	Functions well in the classroom	1	2	3	4	5
IYPER.		Never>>>	·>>>A	lmost Al	ways	
1.	Extremely overactive (out of seat, "on the go)	1	2	3	4	5
2.	Overreacts	1	2	3	4	5
3.	Fidgety (hands always busy)	1	2	3	4	5
4.	Impulsive (acts or talks without thinking)	1	2	3	4	5
5.	Restless (squirms in seat)	1	2	3	4	5
6.	Invades others' personal space	1	2	3	4	5
<u>PPOS</u> 1.	ITIONAL Almost Tries to get others in trouble	Never>>>	•>>>> A 2	Imost Al	ways 4	5
2.	Starts fights over nothing	<u>+</u> 1	2	3	4	
3.	Makes malicious fun of people	1	2	3	4	<u>5</u> 5
<u>3.</u> 4.	Defies authority	1	2	3	4	5
5.	Picks on others	1	2	3	4	5
6.	Mean and cruel to other children	1	2	3	4	<u>5</u>
OCIAI	. SKILLS Almost	Never>>>	·>>>>A	lmost Al	wavs	
1.	Is able to admit fault and apologize if necessary	1	2	3	4	5
2.	Is considered well-liked and/or popular	1	2	3	4	5
3.	Is respectful of other children and their belongings	1	2	3	4	5
4.	Has trouble making and maintaining friendships	1	2	3	4	5
5.	Bullies other children	1	2	3	4	5
6.	Is a sore loser	1	2	3	4	5

You may give to parent or email to <u>stevensussman75@gmail.com</u> or mail to <u>Dr. Steven Sussman</u> 615 Sherwood Pkwy, Mountainside, NJ 07092. Any questions or concerns you may call <u>Dr. Sussman</u> at (908) 217-8106.

STEVEN SUSSMAN, PHD LICENSED NJ & NY PSYCHOLOGIST

615 Sherwood Parkway

Mountainside, N.J. 07092

(908) 217 8106

HIPPA PRIVACY NOTIFICATION

THIS NOTICE DESCRIBES HOW MEDICAL INFORMATION ABOUT YOU MAY BE USED AND DISCLOSED AND HOW YOU CAN GET ACCESS TO THIS INFORMATION. PLEASE REVIEW IT CAREFULLY.

The Health Insurance Portability & Accountability Act of 1996 ("HIPPA") is a federal program that requires that all medical records and other individually identifiable health information used or disclosed by us in any form, whether electronically, on paper, or orally, are kept properly confidential. This act gives you, the patient, significant new rights to understand and control how your health information is used. "HIPPA" provides penalties for covered entities that misuse personal health information.

As required by "Hippa," we have prepared this explanation of how we are required to maintain the privacy of your health information and how we may use and disclose your health information.

We may use and disclose your medical records only for each of the following purposes: treatment, payment, and health care operations.

Treatment means providing, coordinating, or managing health care and related services by one or more health care providers. An example of this would include a physical examination.

Payment means such activities as obtaining reimbursement for services, confirming coverage, billing or collection activities, and utilization review. An example of this would be sending a bill for your visit to your insurance company for payment.

Health care operations include the business aspects of running our practice, such as conducting quality assessment and improvement activities, auditing functions, cost-management analysis, and customer service. An example would be an internal quality assessment review.

We may also create and distribute de-identified health information by removing all reference to individually identifiable information.

We may contact you to provide appointment reminders or provide information about treatment alternatives or other health-related benefits and services that may be of interest to you.

Any other uses and disclosures will made only with your written authorization. You may revoke such authorization in writing and we are required to honor and abide by that written request, except to the extent that we have already taken actions relying on your authorization. You have the following rights with respect to your protected health information, which you can exercise by presenting a written request to the Privacy Officer:

• The right to request restrictions on certain uses and disclosures of protected health information, including those related to disclosures to family members, other relatives, close personal friends, or any other person identified by you. We are, however, not required to agree to a requested restriction. If we do agree, we must abide by it unless you agree in writing to remove it.

- The right to reasonable requests to receive confidential communications of protected health information from us by alternative means or at alternative locations.
- The right to inspect and copy your protected health information.
- The right to amend your protected health information.
- The right to receive an accounting of disclosures of protected health information.
- The right to obtain a paper copy of this notice from us upon request.

We are required by law to maintain the privacy of your protected health information and provide you with notice of our legal duties and privacy practices with respect to protected health information.

We are required to abide by the terms of this Notice of Privacy Practices currently in effect. We reserve the right to change the terms of our Notice of Privacy Practices and to make the new notice provisions effective for all protected health information that we maintain. We will post and you may request a written copy of a revised Notice of Privacy Practices from this office.

You have recourse if you feel that your privacy protections have been violated. You have the right to file a written complaint with our office, or with the Department of Health & Human Services, Office of Civil Rights, about violations of the provisions of this notice or the policies and procedures of our office. We will not retaliate against you for filing a complaint.

Please contact us for more information or to file a complaint: The U.S. Department of Health & Human Services
Office of Civil Rights
200 Independence Avenue S.W.
Washington, D.C. 20201
1-202-619-0257 or Toll Free: 1-877-696-6775

STEVEN SUSSMAN, PHD LICENSED NJ & NY PSYCHOLOGIST

615 Sherwood Parkway

Mountainside, N.J. 07092

I ACKNOWLEDGE THAT I HAVE RECEIVED A COPY OF THE HIPPA (SEE PREVIOUS TWO PAGES) PRIVACY NOTICE FOR THE OFFICE OF STEVEN SUSSMAN, PhD

PATIENT NAME	_
DATE OF BIRTH	_
PARENT NAME	
SIGNATURE	
DATE	

PLEASE SIGN FORM.

ATTENDANCE AGREEMENT

ATTENDANCE AGREEMENT
I, am aware of the
attendance policy. I understand the importance of regular attendance and punctuality. I realize that if I do not honor my commitment to attendance, it conveys to my child that therapy and other commitments (e.g. schoolwork, homework, promises, etc.) are not important.
I am aware that if my child misses their first appointment for any reason other than sickness Dr. Sussman will not be able to give them another one. Once treatment starts if my child has inconsistent attendance, especially in the beginning of therapy, Dr. Sussman will need to reassign my child's spot to another child.
The only reason my child will miss a session is for illness or something unavoidable. I understand that having too much homework, needing to study for a test, wanting to take a family member or friend out to dinner, etc. are not appropriate reasons to miss therapy.
If I have a job that periodically requires overtime, preventing me and my child from attending, I will let Dr. Sussman know at the beginning of therapy. I understand that such a situation may result in Dr. Sussman not being able to treat my child.
To prevent absences, I will always check my upcoming schedule and try to reschedule any upcoming events or appointments that conflict with my child's therapy appointments.
If my child is in (or going to be in) a sport or activity that will conflict with therapy, I will notify Dr. Sussman as soon as possible. I understand this will require a switch to another session provided one is available.
I agree to give Dr. Sussman advanced notice (by cell 908-2106, voicemail or text, or email stevensussman75@gmail.com) of any sessions my child will miss and the reason.
Mentioning it verbally to Dr. Sussman before, during or after a therapy session is insufficient as Dr. Sussman needs to focus on the children at these times.
I understand that if my child misses 2 consecutive sessions their spot may need to be reassigned to another child on the wait list. If my child misses 3 consecutive sessions my child's spot will immediately be reassigned.
If weather is inclement, I will call Dr. Sussman at (908) 217-8106 before leaving for my appointment. His voicemail will announce if the office is closed due to weather.
Dr. Sussman reserves the right to charge for excessive missed appointments.
Signature Date

WHY I DEVELOPED THIS UNCONVENTIONAL APPROACH

I developed this approach in 1997 because difficult uncooperative kids did not cooperate adequately in traditional therapy. I have obtained much better results with this approach than traditional talk or play therapy.

There are over 120 parent reviews on Healthgrades.com. The reviews attest to the approach's efficacy as well as my therapeutic use of "edgy and outrageous" humor to keep everyone entertained and interested.

IF YOU ARE EVER UNCOMFORTABLE WITH MY HUMOR, PLEASE LET ME KNOW ASAP,

SO WE CAN DISCUSS IT AND DETERMINE IF WE CAN WORK TOGETHER. IF NOT, I WILL GLADLY

REFER YOU TO A MORE CONVENTIONAL THERAPIST.

DURING THE CORONA VIRUS SITUATION

GROUP SESSIONS IN THE OFFICE REQUIRE CHILDREN AND PARENTS TO SIT CLOSELY TOGETHER (NOT 6 FEET APART). I EXPECT TO ONLY BE DOING VIDEO CONFERENCING SESSIONS UNTIL IT IS TOTALLY SAFE TO DO SO.

For the video conference sessions the link is

https://doxy.me/drstevensussman (do not underline in browser.)

<u>I am told that Chrome or Safari are the best browsers for the app as opposed to Firefox and</u> others.

When you first log on you will be in a "waiting room." I will admit you when I begin the session. Please try to be on time.

Please keep on mute if you are not speaking...so we do not get any background noise from your home (kids, animals, televisions, etc.)

If you have trouble getting into the session, call my cell 908 217 8106 and you can participate by cell. if you have an I Phone call me on Facetime.

If you are in a session and start to have reception problems such as audio or video, etc. ...try going out and then coming back in. Sometimes it solves the problem(s).